














Hand shower set with individual rosettes

27 808 809



- normal flow
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow Ø 60mm
- rosette for shower holder Ø 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- max. flow 15 l/min

Intrinsic protection against back flow.

	Brushed Durabronze (23kt Gold)	27 808 809-28
	Chrome	27 808 809-00
	Chrome	27 808 809-00 0010
	Brushed Platinum	27 808 809-06
	Brushed Platinum	27 808 809-06 0010
	Platinum	27 808 809-08 0010
	Platinum	27 808 809-08
	Dark Chrome	27 808 809-19 0010
	Brushed Durabronze (23kt Gold)	27 808 809-28 0010
	Brushed Champagne (22kt Gold)	27 808 809-46 0010
	Champagne (22kt Gold)	27 808 809-47 0010
	Brushed Dark Platinum	27 808 809-99
	Brushed Dark Platinum	27 808 809-99 0010

Recommended miscellaneous



Concealed wall elbow


35 085 970 90

- min. recess depth 90 mm
- max. recess depth 163 mm


Hand shower set with individual rosettes

27 808 809

mm [inches]




Flow rate chart



Hand shower set with individual rosettes

27 808 809



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	28 019 979-28	Hand shower	1	20
2	28 450 809-28	Wall elbow	1	20
3	28 050 809-28	Wall bracket	1	20
4	09 14 20 026 90	seal	1	2
5	90 30 02 072 00-28	Metal shower hose 1/2" x 3/8" x 1250 mm	1	20